Rittal - The System.

Faster – better – everywhere.

Compact enclosures AE − AE 1350.500

Date: Aug 7, 2020



NCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

Compact enclosures AE – AE 1350.500 created: 07.08.2020 on www.rittal.com/com-en



Discontinued article.

Dimensions:

This item will be discontinued on: 30.09.2020 |||This item is being replaced by: 1350000

Width: 500 mm Height: 500 mm Depth: 300 mm

Product description	
Material:	Enclosure: Sheet steel Door: Sheet steel, all-round foamed-in PU seal
Surface finish:	Enclosure and door: Dipcoat primed, powder-coated on the outside, textured paint Mounting plate: Zinc-plated
Colour:	RAL 7035
Protection category IP to IEC 60 529:	IP 66
Protection category NEMA:	NEMA 4
IK Code:	IK08
Supply includes:	Enclosure with hinged door(s), of all-round solid construction Gland plate(s) in enclosure base Mounting plate Lock: 3 mm double-bit
Basic material:	Sheet steel
Product features	

© Rittal 2020

Material thickness: Enclosure: 1.5 mm Door: 1.75 mm Mounting plate: 2.5 mm Mounting plate: Width: 449 mm Height: 470 mm Number of doors: 1 Door hinged on the yes right, may be swapped to the left: Lock version: Cam 2 Number of locks: Lock insert: 3 mm double-bit 4 Gland plate, size: Gland plate, qty.: 1 Packs of: 1 pc(s). Weight/pack: 19.6 kg EAN: 4028177252486 **Customs tariff** 94032080 number: ETIM 7.0: EC000261 ETIM 6.0: EC000261 eCl@ss 8.0/8.1: 27180101 eCl@ss 6.0/6.1: 27180101 **Product description:** AE Compact enclosure, WHD: 500x500x300 mm, Sheet steel, with mounting plate, single-door, with two cam locks **Approvals**

Approvals: Bureau Veritas

CSA DNV-GL

Lloyds Register of Shipping

RRR

Russian Maritime Register of Shipping

© Rittal 2020 2

TÜV UL + C-UL

Certificates:	Certificate of manufacturer according to RMRS EAC IK-Code Protection category
Declarations:	Declaration of conformity

© Rittal 2020

3